

Caractéristiques des Chenilles en J

Largeur X Pas	Liens	A	B	C	D	E (Diamètre de l'axe en acier)	F	Guidage
150x72	29-40	24	64	23	24	25	15	A2
180x60	30~40	24	64	28	27	26	15	A1
180x72	28~58	24	64	28	27	26	17	A2
180x72K	30~40	22	62	22	19.5	30	16	B2
B180X72	32-48	21	66	27.5	27.5	26	16	B2
NA180X72	34-64	23	63	29.5	29	26	15	A2
200x72	34~47	29	78	28	31	32	15	A2
200x72K	37~47	24	68	29	29	34	15	A2
230x48	60~84	25	70	24.5	24.5	24	17.5	B1
230x48HI	60~84	25	65	24.5	24.5	21	18	B1
230x48K	60~84	25	66		18.5	23	18	A2
230x48N	60~84	25	70	24.5	24.5	24	17.5	B1
230x72Y	36~56	22	64	31.5	29	34	15	B2
230x72K	36~56	22	68	30	30	36	15	B2
230x72	42~48	23	74	29.5	26.5	31	17	A2
230X72YP	40-56	23	74	29.5	26.5	31	17	A2
230X72Y2	40-56	23	74	29.5	26.5	31	17	A2
230x96	30~48	28	74	22	20	26	19	B1
NA230X96	36-44	27	71	21.5	19.5	26	20	B1
W230X96	30~48	27	71	21.5	19.5	26	20	B1
250x47	72-88	25	66	24	20	20	21	B2
250x48K	72-88	28	67	24	20	20	17	B2
250x48.5(offset)	84	24	68	22	19	22	18	B2
250x52.5	72~78	32	82	23	21	24	21	B2
250x52.5W	72~92	42	92	21	21.5	24	22	B1
250x55.5	64-96	31	76	21	27	30	24	B2
250x72	47~57	25	74	30	28	31	21	A2
250x72N	48-64	29	76	33	25	32	20	A2
W250X109	35-44	42	95	24	29.5	32	18	B1
260x55.5(offset)	78	32	78	22	26.5	26	19	B2
260x96	35-38	27	76	21	20	23	22	B2
260x109	35~39	32	86	26	29	31	16	B1
280x72	45~64	25	78	30	24	31	22	A2
280x72N	45~62	22	80	24	23	29.5	40	A2
280x106	35~42	32	80	29	28	28	19	B2
300x52.5K	70~84	32	88	27	26	26	22	B2
300x52.5N	72~98	32	82	21	15	25	21	B1
NA300X52.5N	72-94	32	81	25	22	25	21.5	B1
300x52.5KW	35~42	43	86	24	24	26	20	B2
300x52.5W	72~92	42	92	22.5	21	28	21	B1
W300X52.5W	72-94	40	92	23.5	22	28	23.5	B1
300x53	80~84	34	88	25	19.5	25	21	B2

300x55	70~86	32	82	26	26	26	22	B1
300x55K	68 - 96	30	84	26	26	24	22	B2
300x55.5(offset)	76~82	32	81	23	26	27	17	B2
300x109W	35~44	43	96	26.5	30	30	22	B2
300x109N	35~42	30	78	27	26	22	22	B1
300x109K	37~41	30	86	25	28	30	20	B1
320x54	72~98	32	82	21	15	25	22	B1
320x84C	46~53	48	102	45	33	38	23	A2
320x84MB -L	46~53	48	100	45	33	38	25	A2
320x86BC	44 - 56	47	96	48	36	40	25	A2
320x86C	44 - 56	40	84	40	26	36	27	A2
320x86MB -L	44 - 56	40	84	40	26	36	27	A2
320x86SB	44 - 56	40	84	40	26	36	27	A2
320x86W	44 - 56	47	96	48	36	40	24	A2
T320x86W	44 - 56	40	84	40	26	36	27	A2
320x90Y	48~56	32	86	50	35	39	25	A2
320x90Y -W	48~56	36	91	49	34	39	27	A2
320x100W	38~54	41	82	33	27	43	23	A2
320x106	39~43	34	82	27	26	32	20	B2
350x52.5	70~92	43	90	24	20	28	23	B1
350x52.5N	70~92	40	90	32	28.5	28	40	B1
350X52.5K	68 - 104	32	88	20	26	25	22	B2
350x54.5	80~86	42	92	24.5	22.5	28	23	B2
350x56R	64 - 96	41	88	26	26	28	22	B1
350X73	60~88	48	135	23.5	24.5	34	22	C1
350x75.5(offset)	74	42	98	22	24	35	17	C2
350x100	48 - 64	45	112	45	48	40	27	A2
370x107	39~41	40	92	26	26	32	24	B2
380x86MB	50~55	38	88	44	32	50	26	C2
400X72.5	60 - 88	38	93	26	26	31	22	B2
400x72.5K	68~76	40	96	29	26	32	25	B2
400X72.5K -N	60 - 80	40	93	28	26	32	23	B2
400x72.5N	70~80	40	96	26	24	32	24	B1
T400x72.5N	60~88	38	96	26	24	32	24	B1
400x72.5W	68~92	52	106	27	27	35	25	B1
NA400X72.5W	60~88	49	106	26.5	26	35	22	B1
400x72.5KW	68~77	48	110	24	24	35	22	B2
400x72.5R	70 - 80	52	106	27	24	35	25	B2
400x72.5Y	72~74	32	85	28.5	24	40	23	C2
400x72.5WK	64 - 88	52	106	25	22	32	22	C2
400X73	60~88	48	135	24	25	34	22	C1
400x74	64 - 80	41	95	25	32	35	25	C1
400x75.5(offset)	74	42	98	24	24	33	25	C2
400x86C	48~63	48	95	47.5	35.5	42	25	A2
400x86CN	48~63	50	98	45	36	40	25	A2
400x86H'	48~63	50	98	46	34	40	25	A2
400x86WH	48~63	50	95	46	34	40	25	A2

T400X86C	48~63	37	94	43	30	48	28	B2
T400X86Z	48~63	37	94	43	30	48	26	B2
400x90	44-68	37	85	47	29	40	26	A2
400x107	35-48	40	92	29	28	33	24	C2
420x100	50~58	52	98	51	33	44	22	A2
450x71	76~88	45	118	29	17	40	28	B1
450x73.5	76-84	46	120	31.5	31.5	35	32	B1
450x76K	80~84	48	117	29	29	38	27	B1
450x81N	72~80	39	118	26	23	40	27	B1
450x81W	72~78	65	142	31	31	42	27	B1
450x81.5	72~80	45	110	31	27	38	23	B1
450x83.5R	72~74	44	112	25	24	42	24	B2
450x83.5K	72~74	44	116	26	23	39	30	B1
450x83.5Y(Offset)	72~74	42	110	32	30	42	26	B2
450x84C	53~56	46	102	47	32	38	27	B2
450x84MB	46~57	46	102	46	34	38	29	B2
450x84SB	48-64	46	102	46	33	38	26	B2
450x86C	50~63	50	98	47	35	38	26	A2
450x86MB -L	55~56	50	98	47	35	38	24	A2
450x86W	44-64	50	98	46	35	38	26	A2
450x86L	44-64	50	98	46	35	38	12	A2
450x90	58-72	37	92	47	34	40	30	A2
450x100C	48~65	48	104	51	40	42	24	C2
T450x100Z	48~65	48	104	51	40	42	24	C2
450x100SB	48~65	48	106	52	40	42	26	C2
450x100MB -L	48~50	48	106	52.5	39.5	42	27	C2
485x92	58~76	68	138	34	33	45	38	A2
500x90	64-88	50	102	49	35	42	29	A2
500x92W	78~84	65	156	32.5	32.5	47	27	B1
500x100	48-72	47	108	56	50	41	44	A2
600x100	68-88	45	116	61	50	50	36	A2
700x100	80-98	50	122	68	54	48	39	A2
750x150	60-72	60	174	81	54	60	40	A2
800x150	56~80	60	174	95	75	64	40	A2
800x150M	56-80	63	174	85	62	64	40	A2
850x150	66-80	84	210	93	58	65	45	A2
900x150	66-92	84	210	93	58	65	45	A2

